

SHARP

Be Original.

www.id.sharp

SHARP

Be Original.

CATALOG 2019





REFRIGERATOR

Sehat dimulai dari proses penyimpanan
makanan dan minuman




Plasmacluster Technology



Sharp dengan teknologi ion Plasmacluster mampu menghasilkan ion positif dan ion negatif yang secara aktif menyebar ke seluruh ruangan untuk menghilangkan 99% bakteri, virus & 97% jamur, serta bau tak sedap di lemari es Anda.


Hasilnya, bahan makanan tetap segar alami lebih lama, bebas kontaminan, bebas bau, serta terjaga kesegaran dan kebersihannya.

*Plasmacluster HD 7000 menunjukkan jumlah ion-ion Plasmacluster dalam sampel udara 1 cm³ adalah sebanyak 7000 butir ion.




Menyebarluaskan Ion-ion Plasmacluster

Ion-ion Plasmacluster disebarluaskan ke seluruh ruangan melalui hembusan udara. Jumlah ion positif dan ion negatif yang disebarluaskan sangat banyak, sehingga jumlah ion dalam ruangan menyamai jumlah ion yang ada di pegunungan dan di sekitar air terjun.



Bereaksi & Melumpuhkan

Ion Plasmacluster secara aktif menyebar sampai ke sudut ruangan dan menempel pada permukaan jamur atau virus dan segera membentuk Hidroksil. Hidroksil ini segera mengambil Hidrogen (H+) dari permukaan protein dan menon-aktifkan virus atau jamur.



Virus dan Jamur Non-aktif

Hidroksil aktif (OH-) bergabung dengan Protein (H+) dari virus atau jamur untuk membentuk uap air (H₂O) dan kembali ke udara. Virus atau jamur menjadi non-aktif dan tidak dapat berkembang biak lagi.



SHARP Innovations

Boost Food Freshness,
Energy Savings & Ease Of Use

Fitur yang mudah digunakan, hemat energi, kesegaran makanan lebih lama dan kebersihan yang terjaga dengan ion Plasmacluster yang dibenamkan dalam lemari es SHARP akan memberikan pelayanan terbaik bagi anda

J-TECH INVERTER

J-Tech Inverter Compressor

Dengan 36 langkah pendinginan, J-Tech Inverter akan mendinginkan lebih cepat, menjaga kestabilan suhu lebih baik, lebih tenang dan hemat energi dibandingkan inverter biasa

Hybrid Cooling System

SHARP menempatkan panel aluminium di bagian lemari es untuk menjaga kesegaran dan kelembaban makanan dengan suhu yang stabil

Panel aluminium akan bertindak sebagai penghantar dingin dan melindungi makanan dari udara dingin langsung sehingga kesegaran makanan bisa bertahan lebih lama. Selain itu, panel aluminium akan menangkap uap air diudara untuk mempertahankan kelembaban optimal dalam lemari es



Hidden Water Dispenser

Sentuh dan dispenser akan muncul. Desain yang menarik dan cara muncul yang unik akan menambah kepuasan Anda selain kebersihan dispenser yang terjaga.



Frex Room

Laci penyimpanan khusus dengan beberapa fungsi pendinginan yang bisa dijalankan sesuai kebutuhan dan bahan makanan



LED Touch Control Panel

Kemudahan untuk mengaktifkan dan mengatur kinerja lemari es lewat sentuhan jari



* Product design may subject to change without prior notice

Queen



J-TECH INVERTER

SJ-IFX95PDG-BK

- J-TECH Inverter Compressor
- Plasmacluster Ion
- Hybrid Cooling System
- LED Touch Control Panel
- Frex Room
- Hidden Water Dispenser
- Auto Ice Making
- 9 way folded Tempered Glass Tray
- LED Lamp
- Black Tempered Glass Door



LED Touch Control Panel



Hidden Water Dispenser



Frex Room



Hybrid Cooling System



Auto Ice Making



Queen




SJ-F90PG-BK

- Plasmacluster Ion
- 4 Door Glass Design
- Hybrid Cooling System
- LED Touch Panel
- Auto Ice Making (with Crystal Ice Mode)
- Full Back LED Lamp (48 lamp)
- Eco-Sign
- Nano Deodorizer
- Full Frame Tempered Glass Tray
- Bottom Freezer



Advanced Glass LED Touch Control Panel



Sleek Door Handles



Auto Ice Making



J-TECH INVERTER

SJ-IFX92PM-SL

- J-TECH Inverter Compressor
- Plasmacluster Ion
- Hybrid Cooling System
- LED Touch Control Panel
- Frex Room
- LED Lamp
- Silver Metal Plate Door



LED Touch Control Panel



Frex Room



Hybrid Cooling System



J-TECH INVERTER

**SJ-IF90PB-SL
SJ-IF85PB-SL**

- 4 Door Design
- Hybrid Cooling System
- Handle Control Panel
- Ag CU Deodorizer
- Full Back LED Lamp
- Full Frame Tempered Glass Tray
- Express Freezing
- Extra Cool Fresh Room
- Bottom Freezer



Hybrid Cooling System



Extra Cool Fresh Room



Express Freezing





No Center Pillar Design

Tanpa pilar tengah, Anda bisa memasukkan makanan hingga selebar 75cm tanpa kesulitan.

Full Back LED Lamp

Penerangan lampu LED yang hemat energi dan tahan lama dari bagian belakang lemari es akan meminimalisir munculnya bayangan namun tidak menyebabkan mata silau.



Bottom freezer

Anda bisa meraih makanan dan minuman pada lemari pendingin tanpa harus membungkuk seperti penggunaan lemari es tipe lain.



Separate Food Storage

Kebutuhan pendinginan dan penyimpanan berbeda pada tiap jenis makanan. Oleh karena itu, SHARP menyiapkan ruang penyimpanan yang berbeda untuk menjaga kesegaran masing-masing makanan.



Plasmacluster Ion*

Ion positif & negatif 99% menonaktifkan bakteri, virus dan jamur untuk menjaga kualitas makanan & mencegah bau tidak sedap dalam lemari es.

Hybrid Cooling System

Panel aluminium di lemari pendingin untuk menjaga kestabilan suhu sehingga kesegaran dan mutu makanan lebih terjaga

Express Freezing

Pembekuan cepat untuk menjaga kualitas makanan dan pembuatan es batu.

Auto Ice Making* With Crystal Clear Looks

Pembuatan es batu otomatis dengan tampilan yang jernih setelah tangki air diisi dan mode pembuatan es diaktifkan



Energy Saving*

Mode ini akan menghemat penggunaan listrik saat lemari es bekerja.



J-TECH INVERTER

INVERTER CERDAS DARI MASA DEPAN



Tidak semua kulkas inverter itu sama. J-TECH Inverter memiliki level kecepatan pendinginan* hingga 9 kali dibandingkan dengan kulkas inverter biasa, sehingga mendinginkan lebih cepat dan suhu terjaga optimal. Kulkas Sharp J-TECH Inverter menghadirkan kemudahan dengan Express Freezing yang dapat membuat es batu lebih cepat namun tetap hemat energi dan nikmati minuman favorit Anda dengan suhu antara 0-2 derajat Celsius. Dapatkan kombinasi kenyamanan dan efisiensi energi terbaik dari kulkas SHARP J-Tech Inverter. J-Tech Inverter, Inverter cerdas dari masa depan.

* Mengacu pada jumlah tahapan yang dimiliki oleh Inverter, untuk mengontrol kecepatan rotasi kompresor pada kulkas. J-Tech Inverter memiliki 36 tahap sementara model sebelumnya hanya memiliki 4 tahap.



Double Ice Maker

Alat untuk membuat es yang terkini dan inovatif. *656L series



Mega Freezer

Dirancang untuk memaksimalkan penyimpanan, refrigerator ini memiliki kapasitas freezer yang super besar dan luas, serta dilengkapi dengan Freezer Organizer dan Double Ice Maker. *656/613/570L Series



Freezer Organizer

Mempermudah penyimpanan untuk barang yang sering digunakan juga dilengkapi dengan sekat untuk mengatur ruang penyimpanan. *656/613/570L Series




Sharp Design

Refrigerator yang di desain secara khusus oleh SHARP dengan gaya yang lebih futuristik dan modern. Diagonal Handle yang tampil baru dan berbeda dengan karakteristik tersendiri serta Recessed Handle dengan bentuk dan kekuatan yang lebih mutakhir.

Touch Control Panel

Panel sentuh pada pintu yang dirancang secara khusus untuk melakukan konfigurasi keseluruhan refrigerator hanya dengan sentuhan serta tanpa harus membuka pintu refrigerator, seperti extra cool, express freezing, plasmacluster, eco mode dan lainnya.*600/550/500L BK/RD



Hybrid Cooling System

Hybrid Cooling System dengan Moist Fresh mampu menjaga dan memancarkan perpaduan udara dingin dan lembab keseluruhan kompartemen untuk mengoptimalkan molekul air saat pendinginan, mengurangi fluktuasi suhu, menjaga nutrisi, kesehatan dan kesegaran makanan. Serta pendinginan melalui panel aluminium yang mencapai 0°C untuk pendinginan lebih cepat secara merata.



Perlindungan lengkap untuk Lemari Es Anda




Aman dari sengatan listrik

Kabel-kabel dibagian lemari es SHARP terlindungi dari pengembunan untuk menghindari sengatan listrik pada pengguna.



Aman dari naik turun tegangan

Kompresor lemari es SHARP memiliki toleransi tegangan yang jauh lebih baik dibandingkan lemari es lainnya.



Aman dari ketidak seimbangan

Lemari es SHARP menoleransi kemiringan tempat hingga 10 derajat.



Aman dari guncangan

Komponen lemari es SHARP telah teruji tahan terhadap guncangan yang mungkin terjadi selama perjalanan.

SJ-IG961PG-BK

- J-Tech Inverter Compressor
- Hybrid Cooling System
- Plasmacluster
- New Tempered Glass Door
- New Diagonal Handle Design
- Touch Temperature Control Panel
- MEGA Freezer
- Double Ice Maker
- Tempered Glass Tray
- LED Lamp
- Freezer Organizer
- Freezer Lamp
- Ag+ Nano Deodorizer
- Low Voltage & Low Wattage

J-TECH INVERTER



Touch Control Panel New Diagonal Handle Double Ice Maker Hybrid Cooling



**SJ-IG861PG-BK/RD
SJ-IG761PG-BK/RD**

- J-Tech Inverter Compressor
- Hybrid Cooling System
- Plasmacluster
- New Tempered Glass Door
- New Diagonal Handle Design
- Touch Temperature Control Panel
- MEGA Freezer
- Tempered Glass Tray
- LED Lamp
- Freezer Organizer
- Freezer Lamp (SJ-IG861PG-BK/RD)
- Ag+ Nano Deodorizer
- Low Voltage & Low Wattage

J-TECH INVERTER



Touch Control Panel New Diagonal Handle Hybrid Cooling




**SJ-IG960PM-SL
SJ-IG860/760PM-SL**

- J-Tech Inverter Compressor
- Hybrid Cooling System
- Plasmacluster
- New Silver Metal Plate
- New Recess Handle Design
- Temperature Control Panel
- MEGA Freezer
- Double Ice Maker (SJ-IG960PM-SL)
- Tempered Glass Tray
- LED Lamp
- Freezer Organizer
- Freezer Lamp (SJ-IG960/860)
- Ag+ Nano Deodorizer
- Low Voltage & Low Wattage

J-TECH INVERTER



Push Button Control Panel New Recess Handle Double Ice Maker Hybrid Cooling



(SJ-IG960PM-SL)

**SJ-IG571/471PG-BK
SJ-IG570/470M-SL**

- J-Tech Inverter Compressor
- Hybrid Cooling System
- Plasmacluster
- New Tempered Glass Door (SJ-IG571/471)
- New Diagonal Handle Design (SJ-IG571/471)
- New Silver Metal Plate (SJ-IG570/470)
- New Recess Handle Design (SJ-IG570/470)
- Moveable Ice Tray
- Tempered Glass Tray
- LED Lamp
- Ag+ Nano Deodorizer
- Low Voltage & Low Wattage

J-TECH INVERTER



New Diagonal Handle New Recess Handle Hybrid Cooling



(SJ-IG571/471PG-BK)

(SJ-IG570/470M-SL)



SJ-456GI-MK SJ-426GI-MK

- J-Tech Inverter Technology
- Plasmacluster Ion
- New borderless Tempered glass door
- Fan Cooling System
- Ag+ Nano Deodorizer
- LED lamp
- Ice Twist
- Tempered Glass Tray
- Low Voltage & Low Wattage

J-TECH INVERTER

2 352 | 338
DOOR LITER

LED LAMP

LOVES HINGEOK

NANO DEODORIZER



SJ-326XI-MK SJ-246XI-MK

- J-Tech Inverter Technology
- New borderless Tempered glass door
- Fan Cooling System
- Ag+ Nano Deodorizer
- LED lamp
- Ice Twist
- Tempered Glass Tray
- Low Voltage & Low Wattage


J-TECH INVERTER

2 256 | 205
DOOR LITER

LED LAMP

LOVES HINGEOK

NANO DEODORIZER



SJ-326XG-MR/MS SJ-246XG-MR/MS

- New design borderless glass door with matrix pattern
- Fan Cooling System
- Extra Big Freezer
- Ag+ Nano Deodorizer
- LED lamp
- Ice Twist plus Ice Box
- Tempered Glass Tray
- Big Crisper
- Low Voltage & Low Wattage
- Available color Red & Silver

2 256 | 205
DOOR LITER

5
YEAR

LED LAMP




SJ-316MG-GB/GR SJ-236MG-GB

- New design borderless with Geometric pattern
- Fan Cooling System
- Extra Big Freezer
- Ag+ Nano Deodorizer
- LED lamp
- Ice Twist plus Ice Box
- Tempered Glass Tray
- Big Crisper
- Low Voltage & Low Wattage
- Available color Red & Silver

2 256 | 205
DOOR LITER

5
YEAR

LED LAMP



Big kirei



SJ-450/420GP-SD

- Plasmacluster Ion
- Fan Cooling System
- Extra Big Freezer
- Ice Twist & LED Lamp
- Tempered Glass Tray
- Express Ice Making
- Ag+ Nano Deodorizer



Plasmacluster Ion



Extra Big Freezer



Tempered Glass Tray



Ag+ Nano Deodorizer



kirei^{II}



**SJ-316ND-FW/FP
SJ-236ND-FW/FP/FB**

- New Flower Design & Color
- Extra Big Freezer
- Fan Cooling System
- AG+ Nano Deodorizer
- LED Lamp
- Ice Twist + Big Ice Box
- Tempered Glass Tray
- Big Crisper
- Low Voltage & Low Wattage



Nano Deodorizer



LED Light



Tempered Glass Tray



**SJ-326GC-SD/SR
SJ-246GC-SD/SR**

- Fan Cooling System
- New Diamond Handle Door
- Humidity Control
- Xtra Big Freezer & LED Lamp
- Ice Twist plus Big Ice Box
- Tempered Gass Tray
- Ag+ Nano Deodorizer
- Big Crisper
- Low Voltage & Low Wattage



New Diamond Handle



LED Light



Tempered Glass Tray



Ag+ Nano Deodorizer



kirei^{II}



SJ-196ND-FS/FP/FB

- New Flower Design
- Fan Cooling System
- Tempered Gass Tray
- Big Freezer
- Low Wattage & Voltage
- LED Lamp



New Floral Design



Fan Cooling System



LED Light



Tempered Glass Tray

**SJ-195MD-SR/SG**

- New Hairline Design & Color
- Extra Big Freezer
- Fan Cooling System
- LED Lamp
- Big Vegetable Box
- Tempered Glass Tray
- Extra Big Freezer
- Low Wattage & Voltage



New Hairline Design



LED Light



Tempered Glass Tray



Extra Big Freezer



Reflection of Beauty &
Elegance

kirei^{II}


SJ-N191D-FW/FP*
SJ-N181D-FW/FP/FB*
SJ-N166F-FW/FP/FB

- New Flower Design & Color
- Tempered Glass Tray
- Utility Pocket
- Low Voltage & Low Wattage
- Full Insulation
- Washable Gasket
- Semi Automatic Defrost System*



New Flower Design



Tempered Glass Tray


**New Design Flat Door with
Magneglas Steel Plate**

Pintu datar berbahan glossy dengan desain bunga & geometris memberikan nilai keindahan lebih

**Tegangan rendah**

Dapat beroperasi saat tegangan rendah 135V-240V

**Tempered Glass**

Rak kaca tempered, kuat menahan beban hingga 100 kg, mudah dibersihkan dan tahan lama.

SHINE
MAGNEGLAS


SJ-X185MG-GB/GR
SJ-X185MG-FB/FR

- Direct Cooling System
- New Design Door & Color
- Tempered Glass Tray
- Full Insulation
- Low Voltage & Low Wattage
- Semi Automatic Defrost System





**SJ-X195MG-FB/FR
SJ-X195MG-GB/GR**

- Direct Cooling System
- New Design Door & Color
- Tempered Glass Tray
- Full Insulation
- Low Voltage & Low Wattage
- Semi Automatic Defrost System



Flower Design



Geometric Design



Tempered Glass Tray



More Bigger More Better

SH|ne
DOUBLE FREEZER



**SJ-X165MG-FB/FR
SJ-X165MG-GB/GR**

- Direct Cooling System
- New Design Door & Color
- Tempered Glass Tray
- Full Insulation
- Low Voltage & Low Wattage




Tempered Glass Tray

Flower Design



Geometric Design



SJ-X195W-FH

- Double Freezer & Extra Big Freezer
- Direct Cooling
- Flat Door with Magneglass Steel Plat
- Tempered Glass tray
- Full Insulation
- Low Voltage & Low Wattage
- Semi Automatic Defrost System




Double Freezer

Lemari Es Double Freezer dengan Evaporator tipe a, yang memiliki keunggulan 4x lebih cepat proses pembekuan serta lebih luas dan mudah dalam pengaturan



Tempered Glass

Rak kaca tempered, kuat menahan beban hingga 100 kg, mudah dibersihkan dan tahan lama.



**SJ-X185M-SR/SG**


- Direct Cooling System
- New Design Door & Color
- Tempered Glass Tray
- Full Insulation
- Low Voltage & Low Wattage
- Semi Automatic Defrost System

**SJ-X165M-SR/SG**

- Direct Cooling System
- New Design Door & Color
- Tempered Glass Tray
- Full Insulation
- Low Voltage & Low Wattage

**Mini Bar Series****SJ-50MB-XW**

- Fast Freezing
- Wide Storage
- Non CFC
- Low Voltage
- Low Wattage

**Showcase Series**

- Anti Dew glass door • Key • Roller Caster • Energy Saving • LED Lamp & New Tray Design (SCH-220/190PS)

Chest Freezer Series

- Fast Freezing Capacity • Artistic handle & door • Key lock • Roller caster • Rust proof cabinet
- LED Lamp (FRV-150X/210X/310X)

Freezer Series



**FJ-M195K-SS
FJ-M195N-SS**

- Direct Cooling System
- Full Insulation
- Washable Gasket
- Key (FJ-M195K-SS)
- 8 Rack (FJ-M195N-SS)
- Low Watt & Low Voltage

1 **185**
DOOR LITER



**FJ-M189K-SS
FJ-M189N-SS**

- Direct Cooling System
- Full Insulation
- Washable Gasket
- Key (FJ-M189K-SS)
- 6 Rack (FJ-M189N-SS)
- Low Watt & Low Voltage

1 **158**
DOOR LITER



Technical Information

Refrigerator

Technical Information Refrigerator

Refrigerator Premium Series

Queen Series

Grand Vetro Series

Model Name	SJ-IFX95PDG-BK	SJ-IFX92PM-SL	SJ-F90PG-BK SJ-IF90PB-SL	SJ-IF85PB-SL	SJ-IG961PG-BK SJ-IG960PM-SL
Type Refrigerator	5 Door Refrigerator	5 Door Refrigerator		4 Door Refrigerator	2 Door Refrigerator
Cooling System	Hybrid Cooling System			Hybrid Cooling System	
Capacity (gross / netto) (liter)	758 / 650	768 / 665	695 / 605	640 / 556	656 / 600
Refrigerator (liter)	549 / 471	555 / 481	453 / 394	398 / 345	461 / 422
Freezer (liter)	208 / 179	212 / 184	242 / 211	242 / 211	195 / 178
Power Consumption (watt)	206	193		173	148
Dimension (w x h x d) mm	908 x 1850 x 796	908 x 1850 x 796	892 x 1830 x 771	892 x 1720 x 771	865 x 1870 x 740

Technical Information Refrigerator

Shine Glass Door Series

Big Kirei Series

Kirei II - 2 Door Series*

Model Name	SJ-326XG-MR/MS SJ-316MG-GB/GR	SJ-246XG-MR/MS SJ-236MG-GB	SJ-450GP-SD	SJ-420GP-SD	SJ-326GC-SD/SR SJ-316ND-FW/FP*
Type Refrigerator			2 Door Refrigerator		
Cooling System			Fan Cooling System		
Capacity (gross / netto) (liter)	256 / 237	205 / 187	352 / 329	338 / 315	256 / 237
Refrigerator (liter)	188 / 182	137 / 132	256 / 249	242 / 235	188 / 182
Freezer (liter)	68 / 55	68 / 55	96 / 80	96 / 80	68 / 55
Power Consumption (watt)			100		
Dimension (w x h x d) mm	562 x 1626 x 560	562 x 1376 x 560	590 x 1730 x 650	590 x 1650 x 655	545 x 1630 x 588

Model Name	SJ-IG861PG-BK/RD SJ-IG860PM-SL	SJ-IG761PG-BK/RD SJ-IG760PM-SL	SJ-IG571PG-BK SJ-IG570M-SL	SJ-IG471PG-BK SJ-IG470M-SL
Type Refrigerator			2 Door Refrigerator	
Cooling System			Hybrid Cooling System	
Capacity (gross / netto) (liter)	613 / 550	570 / 510	428 / 394	397 / 364
Refrigerator (liter)	431 / 387	380 / 347	323 / 290	292 / 268
Freezer (liter)	182 / 163	182 / 163	105 / 96	105 / 96
Power Consumption (watt)	148		132	
Dimension (w x h x d) mm	820 x 1870 x 740	820 x 1770 x 740	685 x 1772 x 645	685 x 1672 x 645

Model Name	SJ-246GC-SD/SR SJ-236ND-FW/FP/FB*	SJ-196ND-FS/FP/FB	SJ-195MD-SR/SG	SJ-N191D-FW/FP*	SJ-N181D-FW/FP/FB*
Type Refrigerator	2 Door Refrigerator	2 Door Refrigerator	2 Door Refrigerator		1 Door Refrigerator
Cooling System	Fan Cooling System	Fan Cooling System	Fan Cooling System		Direct Cooling System
Capacity (gross / netto) (liter)	205 / 187	172 / 152	172 / 152	184 / 175	166 / 157
Refrigerator (liter)	137 / 132	134 / 118	134 / 118	161 / 156	143 / 138
Freezer (liter)	68 / 55	38 / 34	38 / 34	23 / 19	23 / 19
Power Consumption (watt)	100	100	100	90	90
Dimension (w x h x d) mm	545 x 1380 x 588	535 x 1275 x 550	535 x 1275 x 550	535 x 1215 x 550	535 x 1122 x 550

Refrigerator Local Fit Series

Shine Glass Door J-Tech Inverter PCI Series

Shine Glass Door J-Tech Inverter Series

Model Name	SJ-456GI-MK	SJ-426GI-MK	SJ-326XI-MK	SJ-246XI-MK
Type Refrigerator			2 Door Refrigerator	
Cooling System			Fan Cooling System	
Capacity (gross / netto) (liter)	352 / 329	338 / 315	256 / 237	205 / 187
Refrigerator (liter)	256 / 249	242 / 235	188 / 182	137 / 132
Freezer (liter)	96 / 80	96 / 80	68 / 55	68 / 55
Power Consumption (watt)		100		
Dimension (w x h x d) mm	590 x 1730 x 650	590 x 1650 x 655	562 x 1626 x 560	562 x 1376 x 560

Shine Magneglass Series

Shine Double Freezer Shine Series

Model Name	SJ-N166F-FW/FP/FB*	SJ-X185MG-FB/FR SJ-X185MG-GB/GR SJ-X185M-SR/SG	SJ-X195MG-FB/FR SJ-X195MG-GB/GR	SJ-X195W-FH	SJ-X165MG-FB/FR SJ-X165MG-GB/GR SJ-X165M-SR/SG
Type Refrigerator	1 Door Refrigerator	1 Door Refrigerator		1 Door Refrigerator	
Cooling System	Direct Cooling System	Direct Cooling System		Direct Cooling System	
Capacity (gross / netto) (liter)	133 / 128	166 / 157	184 / 175	185 / 170	133 / 128
Refrigerator (liter)	113 / 109	143 / 138	161 / 156	148 / 143	113 / 109
Freezer (liter)	20 / 19	23 / 19	23 / 19	34 / 28	20 / 19
Power Consumption (watt)	84	90	90	90	84
Dimension (w x h x d) mm	535 x 970 x 550	535 x 1132 x 575	535 x 1212 x 545	535 x 977 x 545	

Technical Information Refrigerator

Mini Bar Series Showcase Series

Model Name	SJ-50MB-XW	SCH-250PS	SCH-220PS	SCH-210PS	SCH-190PS	SCH-170PS	
Type Refrigerator		Showcase					
Cooling System		Fan Cooling System					
Capacity (gross / netto) (liter)	50 / 40	260 / 250	220 / 211	212 / 200	180 / 170	180 / 170	
Refrigerator (liter)	-	-	-	-	-	-	
Freezer (liter)	-	-	-	-	-	-	
Power Consumption (watt)	100		200		185		
Dimension (w x h x d) mm	449 x 501 x 470	528 x 1643 x 530	530 x 1547 x 510	528 x 1423 x 530	530 x 1335 x 510	528 x 1203 x 530	

Chest Freezer Series

Model Name	FRV-310X	FRV-210X	FRV-150X	FRV-300	FRV-200
Type Refrigerator	Chest Freezer				
Cooling System	Direct Cooling System				
Capacity (gross / netto) (liter)	302 / 282	212 / 190	152 / 140	315 / 300	205 / 195
Refrigerator (liter)	-	-	-	-	-
Freezer (liter)	-	-	-	-	-
Power Consumption (watt)	130	105	89	100	140
Dimension (w x h x d) mm	1116 x 835 x 644	950 x 835 x 564	754 x 845 x 564	1105 x 873 x 539	925 x 873 x 539

WASHING MACHINE

Chest Freezer Series

Freezer Series

Model Name	FRV-127	FRW-210	FJ-M195N-SS FJ-M195K-SS	FJ-M189N-SS FJ-M189K-SS
Type Refrigerator	Chest Freezer	Chest Freezer	Freezer	
Cooling System	Direct Cooling System	Direct Cooling System	Direct Cooling System	
Capacity (gross / netto) (liter)	120 / 114	212 / 200	185 / 178	158 / 154
Refrigerator (liter)	-	-	-	-
Freezer (liter)	-	-	-	-
Power Consumption (watt)	135	140	230	250
Dimension (w x h x d) mm	610 x 845 x 615	925 x 873 x 539	535 x 1375 x 570	535 x 1215 x 570

WASHING MACHINE

Mencuci lebih mudah dengan hasil bersih yang maksimal



Front Loading Series

TURBO KEY

Mempercepat proses pencucian, cucian selesai 6-10 menit lebih awal.



SUPER CLEAN RINSE

Dapat menambah pembilasan hingga 4x, cucian lebih bersih.

SILENT WASH

Mencuci dengan suara mesin yang lebih senyap.



SILVER SERIES

ES-FL1491XW

- Triple Quick Wash
- Eco Logic System
- Turbo Key
- Super Clean Rinse
- Silent Wash
- 1200 RPM

INVERTER



ES-FL1083W ES-FL1073W

- Triple Quick Wash
- Eco Logic System
- Turbo Key
- Super Clean Rinse
- Silent Wash
- 1000 RPM

5
Tahun
Garansi
Motor



7
kg

ES-FL1083W



Quick Wash

Dilengkapi dengan program pencucian cepat hanya dalam waktu 15 menit, untuk jumlah pakaian yang tidak terlalu banyak.



Eco Logic

Otomatis mendeteksi jumlah cucian yang masuk kedalam tabung, konsumsi listrik akan diturunkan sebanyak 50%, konsumsi air dan durasi pencucian akan berkurang. Sehingga dapat menghemat uang, menghemat waktu, dan energy.



Stain Level Selection

Hampir 22 noda dapat teratas pada cucian anda dengan teknologi Stain Away pada mesin cuci sharp ini. Terdapat 3 mode pilihan noda (sangat kotor, sedang, dan kotor) untuk hasil cucian yang bersih.



Boomerang Cabinet

Design boomerang pada body mesin cuci ini berfungsi untuk meredam guncangan dan suara yang dihasilkan pada saat pencucian berlangsung.



Allergy Safe

Technology allergy safe yang dapat melindungi dan menghilangkan allergen (penyebab alergi), bakteri yang sering menempel pada pakaian yang dicuci. Mesin cuci sharp mampu menonaktifkan 7 alergen (Pollen, Cat, Dog, Dust, Mite, Fungus & Mould) dan 4 bacteria (Escherichia coli, Enterococcus faecalis, Staphylococcus aureus, Staphylococcus saprophyticus).



Night Program

Program yang berfungsi untuk menunda proses pencucian, sehingga pencucian dapat di tunda hingga menjelang pagi dan selesai pada saat pagi hari sehingga tidak mengganggu tidur malam yang tenang.



BOOMERANG SERIES



ES-FL1290G

- Quick Wash 15 Minute
- Eco Logic System
- Boomerang Cabinet
- Allergy Safe (ES-FL1082G)
- Stain Level (ES-FL1082G)
- Night Program (ES-FL1082G)
- LCD Panel Display (ES-FL1082G)
- Child Lock
- Easy Ironing
- 1200 RPM (ES-FL1082-G)
- 800 RPM (ES-FL872/862)

5
Tahun
Garansi
Motor



ES-FL1082G | ES-FL1082 ES-FL872 | ES-FL862

- Quick Wash 15 Minute
- Eco Logic System
- Boomerang Cabinet
- Allergy Safe (ES-FL1082G)
- Stain Level (ES-FL1082G)
- Night Program (ES-FL1082G)
- LCD Panel Display (ES-FL1082G)
- Child Lock
- Easy Ironing
- 1200 RPM (ES-FL1082-G)
- 800 RPM (ES-FL872/862)

8
kg

ES-FL1082G
ES-FL1082



7
kg

ES-FL872

6
kg

ES-FL862

Megamouth Series



Penggabungan Teknologi dan Alam untuk Menghasilkan Cucian Bersih dan Cerah

Mesin cuci dari sharp dengan "No Holes Tub" adalah teknologi luar biasa yang dapat menghemat dan menjaga pakaian dari kerusakan. Teknologi luarbiasa ini datang dengan penggabungan Dolphin dan Whale Cyclone Pulsator, untuk pencucian kuat yang pernah anda inginkan.

Keunggulan dari Teknologi "No Holes Tub"

Teknologi luar biasa yang memberikan kuntungan dalam mencuci, dibandingkan dengan mesin cuci tabung berlubang

Hemat

Tidak Boros Air
Menghemat air sebanyak 30% karena air hanya berada di dalam tabung

Tidak Boros Detergen
Memaksimalkan penggunaan deterjen untuk mencuci dengan membiarkan deterjen tetap dalam tabung

Mengefisiensikan Detergen
Mempertahankan detergent tetap dalam tabung sehingga terkonsentrasi dan efisien



Boros Air
Air cucian dapat keluar tabung, melalui lubang-lubang yang terdapat di tabung.

Boros Deterjen
Sisa deterjen keluar tabung, melalui lubang-lubang yang terdapat di tabung.

Deterjen Tidak Efisien
Deterjen merembes ke belakang tabung menyebabkan proses mencuci tidak efisien.

Terlindungi

Meminimalisir Pertumbuhan Bakteri & Jamur
Tabung cucian yang tidak berlubang meminimalisir pertumbuhan jamur pada bagian belakang tabung

Meminimalisir Perpindahan Jamur
Tabung cucian yang tidak berlubang meminimalisir perpindahan jamur pada saat pencucian



Memudahkan Pertumbuhan Bakteri & Jamur
Jamur tumbuh dengan mudah di belakang tabung karena banyak air tersisa.

Memudahkan Penempelan Jamur
Jamur menempel ke baju dari bagian belakang tabung pada saat pencucian



Tidak Merusak Kain
Tabung tanpa lubang, mencegah gesekan pakaian dengan lubang, sehingga pencuciannya bekerja secara halus



Merusak Kain
Pakaian akan terus-menerus bergesekan dengan lubang tabung, sehingga menyebabkan kerusakan pakaian dalam jangka panjang

Kinerja Pencucian yang Sangat Kuat Terinspirasi dari Alam^{*1}

Putaran Cyclone, Lumba-lumba dan Ikan Paus adalah tiga karakteristik alam signifikan yang menginspirasi Sharp dalam menciptakan kinerja pencucian yang kuat melalui Double Screw Pulsator.




Double Screw Pulsator

Meningkatkan Performa Pencucian Sebanyak 19%^{*2}

Putaran Cyclone dirancang dengan baik sehingga meningkatkan kinerja pencucian hingga 19%, sehingga secara keseluruhan menghasilkan pencucian kuat dan hasil terbaik untuk cucian anda. Selain itu dapat meminimalisir pakaian kusut dan kerusakan kain.


^{*1}hanya terdapat pada model ES-M1108T dan ES-M1008T

^{*2}Dibandingkan dengan mesin cuci SHARP tipe sebelumnya.



Normal Cyclone Rotation

Reverse Cyclone Rotation



Pulsator yang Dilapisi Ion AG+

Ion AG+ melindungi pakaian terhadap bakteri dan bau apek yang berasal dari jamur. Oleh karena itu, Ion AG+ ditambahkan kedalam proses pembuatan pulsator ini. Sehingga teknologi ini akan selalu mencegah bakteri dan pertumbuhan jamur di kedua sisi pulsator dan menyakinkan anda bahwa cucian akan selalu bersih dan tidak berbau.



Fungsi Perendaman sampai 24 Jam

Tergantung oleh tipe pakaian anda, anda dapat memilih waktu perendaman sesuai kebutuhan.

Mencuci dengan Baik

Rendam pakaian anda dalam beberapa waktu untuk membantu anda menghilangkan noda yang membandel

Menghemat Waktu

Menghemat waktu pencucian setelah perendaman, sehingga waktu anda tidak membutuhkan waktu yang lama untuk pencucian

Hemat Listrik

Biasanya, mencuci dengan noda membandel membutuhkan waktu yang lama dan membutuhkan energy yang lebih. Fungsi perendaman dapat mengurangi konsumsi energy dengan menggunakan pencucian normal




Desain Inovative untuk Akses yang Mudah

Pengalaman mencuci mudah dengan mesin cuci Sharp yang inovatif dan desain yang sesuai dengan kebutuhan Anda




Akses yang Luas dengan Panel Program yang Melingkar

Control Panel yang baru ditempatkan dibagian samping mesin cuci. Memungkinkan untuk mengurangi ukuran dan memberikan akses yang lebih luas melalui tutup yang melingkar. Desain seperti ini memudahkan untuk memasukan dan mengeluarkan cucian dan berukuran besar.



Control Panel (sudut)



Sulit untuk memasukan & mengeluarkan cucian

Mudah untuk memasukan & mengeluarkan cucian

Gentle Closing^{*1}

Teknologi penutupan pintu secara perlahan menjadikan mesin cuci ini terlihat elegan dan aman dari tangan terjepit



True Tempered Glass^{*2}

Pintu mesin cuci tidak mudah pecah karena terbuat dari Tempered Glass berkualitas yang memiliki ketahanan terhadap beban berat. Tempered Glass juga menjadikan mesin cuci ini terlihat eksklusif



Glass door

^{*1}hanya terdapat pada model ES-M1108T dan ES-M1008T

^{*2}terdapat pada model ES-M855T-GG, ES-M955T-GG, ES-M1008T-SA dan ES-M1108T-SA

Zero Pressure Technology

Mesin cuci tetap bekerja stabil dengan tekanan air yang rendah



Metal Lint Filter

Lint Filter berbahan logam di desain khusus untuk menangkap lebih banyak benang-benang ataupun rambut pada kain cucian.



Memaksimalkan Efisiensi dari Pelembut



Aktifkan mode fragrance, program ini akan merendam baju Anda untuk beberapa menit sebelum membilas. Ini meningkatkan efisiensi keharuman melalui pakaian Anda

ECO Shower Rinse^{*1}



30% Water Saving

Eco Shower Rinse adalah fitur terbaru pada Megamouth series yang dapat menghemat penggunaan air hingga 30%. Menjadikan proses pencucian pakaian lebih efisien.

*1 hanya ada pada tipe : ES-M855T-GG & ES-M955T-GG



Perlindungan 7 Shields Kualitas Terbaik untuk Mesin Cuci Anda

-  [Perlindungan Terhadap Kelembapan](#)
-  [Perlindungan Terhadap Jamur](#)
-  [Perlindungan terhadap Petir](#)
-  [Perlindungan terhadap Api](#)
-  [Perlindungan terhadap Koin](#)
-  [Perlindungan terhadap Korosi](#)
-  [Perlindungan terhadap Tikus](#)



ES-M1108T (Silver Metallic)

11kg

ES-M1108T-SA
ES-M1008T-SA

- No Holes Tub
- Double Screw Pulsator
- Long Time Soak (up to 24 H)
- Maximum Fragrance
- Powerful Tub Clean
- Glass Door



ES-M1008T (Dark Grey Metallic)

10kg



ES-M855T-GG (Smoke Grey)

8,5kg

ES-M955T-GG
ES-M855T-GG

- Zero Pressure Valve
- Pump-up Tub
- Eco Shower Rinse
- Long Time Soak (up to 24 H)
- Maximum Fragrance
- Powerful Tub Clean
- Glass Door



ES-M955T-GG (Smoke Grey)

9,5kg



(Blue)

8,5kg

new

(Maroon)

ES-M806P-GB/GR
ES-M806P-GT/GM

- Dolphin Whale Pulsator
- Long Time Soak (up to 24 H)
- Ekstra Wangi
- Powerful Tub Clean
- Zero Pressure



8,5kg

(Tosca)

new

(Pink)



(Blue)

9,5kg

new

ES-M906P-GB/GR

- Dolphin Whale Pulsatpr
- Long Time Soak (up to 24 H)
- Ekstra Wangi
- Powerful Tub Clean
- Zero Pressure



9,5kg

(Pink)



Quickwash Series

QUICK WASH TECHNOLOGY

Magic Filter Technology



Penyaring yang terdapat dalam drum mesin cuci, berguna untuk menyaring kotoran dan serat kain dari pakaian pada saat pencucian.

Softener Inlet



Deterjen & softener baru akan dimasukkan ke dalam air pada saat program berjalan secara otomatis agar detergent dan softener tidak mengenai pakaian secara langsung.

Child Lock



Tombol Kontrol Panel dapat dikunci untuk menghindari kesalahan yang terjadi karena tombol yang secara tidak sengaja ditekan.

new



TRUE GLASS

ES-H958T-GY (9.5KG)
ES-H858T-GY (8.5KG)
ES-H758T-GY (7.5KG)

- Quick Wash Tchnology
- Full big true tempered glass lid with damper
- Power Off Memory
- Zero Pressure



new



ES-F950P-GY

- Quick Wash Tchnology
- Eco Logic system
- Zero Pressure Technology
- Auto Restart



"Hebatnya mencuci seperti punya laundry sendiri"


MENINGKATKAN
67%
PERFORMA PENCUCIAN

MENGHEMAT
50%
DETERGEN

MENGURANGI
40%
KERUSAKAN PAKAIAN

INVERTER
TECHNOLOGY

BIG CAPACITY



- ES-F1208X-SL
- Inverter Tchnology
 - 3D Wave
 - Air Bubble Wash
 - Adjustable Spin Speed
 - Magic filter
 - Child Lock
 - Power Off Memory
 - Powerful Tub Clean

12 Kg




BIG CAPACITY



- ES-F1408X-SL
- Inverter Tchnology
 - 3D Wave
 - Air Bubble Wash
 - Adjustable Spin Speed
 - Magic filter
 - Child Lock
 - Power Off Memory
 - Powerful Tub Clean

14 Kg



- ES-G875P-G
- Quick Wash Tchnology
 - Soak Timer
 - Softener Inlet
 - 8 Washing Programs
 - Magic filter
 - Child Lock
 - Power Off Memory

7 Kg



- ES-G865P-G
- Quick Wash Tchnology
 - Soak Timer
 - 8 Washing Programs
 - Magic filter
 - Child Lock
 - Power Off Memory
 - Powerful Tub Clean

6,2 Kg



Twin Tub Series

DOLPHINWAVE



Brilliant Blue



12kg

14kg

ES-T1290-WA-BL/PK
ES-T1490-WA-BL/PK

- Big Wash Capacity 14 & 12 kg
- Dolphin Pulsator
- Water Selector
- Big Spin Capacity 10 kg
- Super Aquamagic Filter
- Lint Filter




Dolphin Pulsator

Pulsator mirip sirip ekor dan lekuk tubuh lumba-lumba menjadikan mode pencucian berputar kuat menuju pulsator sehingga tidak merusak pakaian dan hasil mencuci menjadi lebih bersih.



Anti-Bacteria Protection (Pulsator & Aqua Filter)

Filter ini dilapisi dengan silver ion (AG+) yang berfungsi menghilangkan bakteri dan jamur pada air yang melewati filter ini, sehingga hasil cucian bersih dan tidak bau apek.



Super Aquamagic

Teknologi SUPER AQUAMAGIC dengan water purification filter 30% lebih besar, membuat kandungan zat besi di dalam air berkurang sebanyak 56%.



Super Aerodry (Pengeringan Cepat & Higienis)

Sistem pengeringan cepat dengan teknologi perputaran udara yang mempermudah pengeringan dan mengurangi kelembaban pakaian sehingga membuat pakaian lebih higienis.

DOLPHINWAVE



Deep Orchid Violet

Vibrant Rose Pink

DOLPHINWAVE

ES-T1090-BK/VK/PK

- Big Wash Capacity 10 kg
- Big Spin Capacity 7 kg
- Dolphin Pulsator
- Super Aquamagic Filter
- Water Selector
- Lint Filter

10 kg



Rose Pink

DOLPHINWAVE

ES-T971DM-BL/PK
ES-T871DM-BL/PK

- Big Spin Capacity 7 kg
- Dolphin Pulsator
- Super Aquamagic Filter
- Water Selector
- Lint Filter

9,5kg ES-T971DM-BL/PK

8,5kg ES-T871DM-BL/PK



Brilliant Blue



DOLPHINWAVE

ES-T77DA-BK/RK

- Dolphin Pulsator
- Super Big Spin
- Aerodry System
- Super Aquamagic Filter
- Soak Magic



Dark Red

AQUAMAGIC
SUPER



ES-T97CM-BL

- Super Aquamagic Filter
- Soakmagic
- Low Wattage System
- Double Anti-bacteria (Pulsator & Aqua Filter)
- Double Pulsator

9Kg

AQUAMAGIC
SUPER



ES-T96/86CL-HK

- Super Aquamagic Filter
- Soakmagic
- Low Wattage System
- Silvermagic protection on Pulsator
- Double Pulsator

9Kg ES-T96CL-HK

8Kg ES-T86CL-HK

AQUAMAGIC
SUPER



**ES-T95CR-BK/VK/PK
ES-T85CR-BK/VK/PK**

- Super Aquamagic Filter
- Soakmagic
- Low Wattage System
- Silvermagic protection on Pulsator
- Double Pulsator

9Kg ES-T95CR-BK/VK/PK

8Kg ES-T85CR-BK/VK/PK

AQUAMAGIC
SUPER



ES-T77F-PPK/PBK

- Super Big Spin Wash 6 kg
- Super Aquamagic Filter
- Single Pulsator
- Water Selector

**Baby Blue Baby Pink
7Kg**

PUREMAGIC



**ES-T85MW-BK/HK/PK
ES-T75MW-BK/HK/PK**

- Silvermagic Protection (Ion Ag+) on Pulsator
- Single Pulsator
- Easy Function
- Water Inlet (ES-T85MW)

8Kg ES-T85MW-BK/HK/PK

7Kg ES-T75MW-BK/HK/PK

PUREMAGIC



**ES-T68MW-PK/BK/GK
ES-T65MW-PK/BK/GK**

- Silvermagic Protection (Ion Ag+) on Pulsator
- Single Pulsator
- Easy Function

**Baby Blue Baby Pink Baby Green
6,5Kg**



**Mencuci Bersih
Hijab Anda
dengan Lembut
& Tetap Awet**



DOLPHINWAVE
HIJAB MODE

ES-T1270SJ-BL/PK

- Hijab Mode • Double Pulsator
- Jilbab pouch • Dolphinwave Pulsator
- Super Aquamagic

Candy Pink Milky Blue



11Kg

PUREMAGIC
WITH
HIJAB MODE

ES-T99/79SJ-BL/PK

- Dualtone color • Hijab Mode • Double Pulsator
- Jilbab pouch • Silvermagic protection on Pulsator
- Supersoak Magic (ES-T99SJ-BL/PK)

Candy Pink Milky Blue



7,5Kg

Technical Information Washing Machine

Front Loading (Boomerang Series)

Model Name	ES-FL1290G	ES-FL1082G	ES-FL1082	ES-FL872	ES-FL862
Feature	Quick Wash 15 Minute, Eco Logic System, Boomerang Cabinet, Allergy Safe, Stain Level & Night Program	Quick Wash 15 Minute, Eco Logic System, Boomerang Cabinet, Allergy Safe, Stain Level & Night Program	Quick Wash 15 Minute, Eco Logic System, Boomerang Cabinet	Quick Wash 15 Minute, Eco Logic System, Boomerang Cabinet	Quick Wash 15 Minute, Eco Logic System, Boomerang Cabinet
Washing Course Type	15 Program	15 Program	15 Program	15 Program	15 Program
Wash Capacity (Kg)	9.0	8.0	8.0	7.0	6.0
Power Consumption (Watt)	Cold Water : 250 , Hot Water : 2,200				
Body / Tube Type	Steel / Stainless Steel				
Spin Dry Speed (rpm)	Max. 1,200	Max. 1,000	Max. 1,000	Max. 800	Max. 800
Rating Voltage (V / Hz)	220 V - 240 V / 50 Hz				
Dimension (W x H x D) (mm)	597 x 845 x 557	597 x 845 x 527	597 x 845 x 527	596 x 850 x 540	596 x 850 x 540
Gross / Nett Weight (Kg)	76.5 / 75	64 / 62	64 / 62	58 / 57	58 / 57

Front Loading (Silver Series)

Model Name	ES-FL1491XW	ES-FL1083	ES-FL1073
Feature	Inverter Technology, Triple Quick Wash (15, 30, 45 Minute), Eco Logic System, Turbo Key, Super Clean Rinse, Silent Wash, LED Display	Triple Quick Wash (15, 30, 45 Minute), Eco Logic System, Turbo Key, Super Clean Rinse, Silent Wash, LED Display	Triple Quick Wash (15, 30, 45 Minute), Eco Logic System, Turbo Key, Super Clean Rinse, Silent Wash, LED Display
Washing Course Type	15 Program	15 Program	15 Program
Wash Capacity (Kg)	9.5	8.5	7.0
Power Consumption (Watt)	Cold: 150 Hot: 1,800	Cold: 150 Hot: 1,800	Cold: 120 Hot: 1,800
Body / Tube Type			
Spin Dry Speed (rpm)	Max. 1,200	Max. 1,000	Max. 1,000
Rating Voltage (V / Hz)			
Dimension (W x H x D) (mm)	682 x 672 x 860	682 x 602 x 860	670 x 530 x 860
Gross / Nett Weight (Kg)	69 / 74	66 / 71	60 / 62

Full Auto (Megamouth Series)

Model Name	ES-M1108T-SA	ES-M1008T-SA
Feature	Big Door Size, Long Time Soak (up to 24 hours), Fragrance Mode, Hole-less Tub, Double Screw Pulsator, Tempered Glass Door with Damper	Big Door Size, Long Time Soak (up to 24 hours), Fragrance Mode, Hole-less Tub, Double Screw Pulsator, Tempered Glass Door with Damper
Washing Course Type	8 Program	8 Program
Wash Capacity (Kg)	11.0	10.0
Power Consumption (Watt)	118	115
Wash Input (Watt)	510	505
Drying Input (Watt)	315	295
Water Consumption (L)	129	127
Body / Tube Type		
Spin Dry Speed (rpm)	730	
Rating Voltage (V-Phase-Hz)		
Dimension (W x H x D) (mm)	580 x 1031 x 625	580 x 1011 x 625
Gross / Nett Weight (Kg)	42 / 37	42 / 37

Technical Information Washing Machine

Full Auto (Megamouth Series)

Model Name	ES-M955T-GG	ES-M906P-GB/GR	ES-M855T-GG	ES-M806P-GB/BR ES-M806P-GT/GM	ES-F1208X-SL	ES-F1408X-SL
Feature	Big Door Size, Long Time Soak (up to 24 hours), Fragrance Mode, Eco Shower Rinse, Dolphin pulsator, Tempered Glass Door with Damper, Zero Pressure Valve	Big Door Size, Long Time Soak (up to 24 hours), Fragrance Mode, Eco Shower Rinse, Dolphin pulsator, Tempered Glass Door with Damper, Zero Pressure Valve	Big Door Size, Long Time Soak (up to 24 hours), Fragrance Mode, Eco Shower Rinse, Dolphin pulsator, Tempered Glass Door with Damper, Zero Pressure Valve	Big Door Size, Long Time Soak (up to 24 hours), Fragrance Mode, Eco Shower Rinse, Dolphin pulsator, Tempered Glass Door with Damper, Zero Pressure Valve	Inverter Technology, 3D wave, Magic Filter, Child Lock, Adjustable Spin Speed	Inverter Technology, 3D wave, Magic Filter, Child Lock, Adjustable Spin Speed
Washing Course Type	7 Program	7 Program	7 Program	7 Program	6 Program	6 Program
Wash Capacity (Kg)	9.5	9.0	8.5	8.0	12	14
Power Consumption (Watt)	82	98	77	88	Max : 300	Max : 300
Wash Input (Watt)	340	340	320	320	-	-
Drying Input (Watt)	220	220	205	205	-	-
Water Consumption (L)	125	172	116	167	81	107
Body / Tube Type	Steel / Stainless Steel					
Spin Dry Speed (rpm)	730		710		Max 650	
Rating Voltage (V-Phase-Hz)	220 V / 50 Hz					
Dimension (W x H x D) (mm)	530 x 993 x 585	530 x 993 x 585	530 x 963 x 585	530 x 963 x 585	610 x 985 x 626	680 x 1065 x 695
Gross / Nett Weight (Kg)	34 / 29	33.5 / 29.5	33 / 29	33 / 29	56	60

Full Auto (Quickwash Series)

Model Name	ES-H958T-GY	ES-H858T-GY	ES-H758T-GY	ES-F950P-GY	ES-G875P-G	ES-G865P-G
Feature	Quick Wash, Zero Pressure Technology, Power Off Memory, Full Tempered Glass Lid with Damper	Quick Wash, Zero Pressure Technology, Power Off Memory, Full Tempered Glass Lid with Damper	Quick Wash, Zero Pressure Technology, Power Off Memory, Full Tempered Glass Lid with Damper	Eco Logic System, Zero Pressure Technology, Power Off Memory, Full Tempered Glass Lid with Damper	Quick Wash (21 Minute), Soak Timer, Magic Filter, Detergent Case, Softener Inlet, Polyphonic Finish Alarm, Panel with Bahasa	Quick Wash (15 Minute), Soak Timer, Magic Filter, Tub Clean Program, Polyphonic Finish Alarm, Panel with Bahasa
Washing Course Type	4 Program	4 Program	4 Program	4 Program	8 Program	8 Program
Wash Capacity (Kg)	9,5	8,5	7,5	7,5	7,0	6,2
Power Consumption (Watt)					330	145
Wash Input (Watt)	500	450	420	-	420	400
Drying Input (Watt)	420	330	320	-	320	300
Body / Tube Type	Plastic / Stainless Steel		Plastic		Plastic / Stainless Steel	
Spin Dry Speed (rpm)	700	700	700	850	220V / 50Hz	
Rating Voltage (V-Phase-Hz)	220V / 50Hz					
Dimension (W x H x D) (mm)	620 x 665 x 994	582 x 610 x 1010	582 x 610 x 992	580 x 595 x 990	530 x 920 x 550	500 x 896 x 520
Gross / Nett Weight (Kg)	38 / 42	32 / 36	31 / 35	29 / 33	28	26

Technical Information Washing Machine

Twin Tub (Dolphinwave Series)

Model Name	ES-T1490-WA-BL/PK	ES-T1290-WA-BL/PK	ES-T1090-BK/VK/PK	ES-T971DM-BL/PK	ES-T871DM-BL/PK	ES-T77DA-BK/RK		
Feature	Dolphinwave Pulsator, Super Aquamagic Filter, Soak Magic, Water Selector, Lint Filter, Panel Bahasa	Dolphinwave Pulsator, Super Aquamagic Filter, Soak Magic, Water Selector, Lint Filter, Panel Bahasa	Dolphinwave Pulsator, Super Aquamagic Filter, Soak Magic, Water Selector, Lint Filter, Panel Bahasa	Dolphinwave Pulsator, Super Aquamagic Filter, Soak Magic, Water Selector, Lint Filter, Panel Bahasa	Dolphinwave Pulsator, Super Aquamagic Filter, Soak Magic, Water Selector, Lint Filter, Panel Bahasa	Dolphinwave Pulsator, Super Aquamagic Filter, Soak Magic, Water Selector, Lint Filter, Panel Bahasa		
Wash Capacity (Kg)	14	12	10	9.5	8.5	7		
Spin Dry Capacity (Kg)	12	10	7	7	7	6		
Wash Motor Input (Watt)	365	360	275	300	260	265		
Spin Motor Input (Watt)	180	180	110	110	110	105		
Water Consumption (L)	Level 1-75 / Level 2-65 / Level 3-55				Level 1-52 / Level 2-43 / Level 3-38			
Wash Operation Time (mins)	45							
Body / Tube Type	Plastic							
Rating Voltage (V-Phase-Hz)	220 V - Single - 50 Hz							
Dimension (W x H x D) (mm)	921 x 1065 x 551	921 x 1065 x 551	863.5 x 1052 x 536	847 x 1032 x 508	847 x 1032 x 508	800 x 975 x 501		
Weight (Kg)	31	31	23/25.5	22.5	22.5	20.5		

Technical Information Washing Machine

Twin Tub (Aquamagic Series)

Model Name	ES-T77F-PBK/PPK	ES-T85MW-BK/HK/PK	ES-T75MW-BK/HK/PK	ES-T68MW-BK/PK, ES-T65MW-BK/GK/PK
Feature	Easy Function, Aqua Magic Filter, Panel with English, Spin Dry, Water Selector, Lint Filter, Filter System	Easy Function, Panel with Bahasa, Spin Dry, Water Inlet, Pulsator With Anti Bacterial	Easy Function, Panel with Bahasa, Spin Dry, Pulsator With Anti Bacterial	Easy Function, Panel with Bahasa, Spin Dry, Pulsator With Anti Bacterial
Wash Capacity (Kg)	7	8	7	6.5
Spin Dry Capacity (Kg)	6	5.5	3	3
Power Consumption for Wash (Watt)	330	350	330	320
Power Consumption for Spin (Watt)	105	85	99	
Water Consumption (L)	Level 1-52 / Level 2-43 / Level 3-38	Level 1-75 / Level 2-65 / Level 3-55	Level 1-52 / Level 2-43 / Level 3-38	
Wash Operation Time (mins)	45	15	15	
Body / Tube Type	Plastic	Plastic	Plastic	
Rating Voltage (V-Phase-Hz)	220 V - Single - 50 Hz	220 V - Single - 50 Hz	220 V - Single - 50 Hz	
Dimension (W x H x D) (mm)	800 x 975 x 501	855 x 945 x 495	783 x 934 x 437	783 x 934 x 437
Weight (Kg)	20.5	22.5	19	19

Twin Tub (Aquamagic Series)

Model Name	ES-T97CM-BL	ES-T96CL-HK	ES-T86CL-HK	ES-T95CR-BK/PK/VK	ES-T85CR-BK/PK/VK
Feature	Aquamagic Filter, Double Anti-bacterial, Double Pulsator Soak magic, Water Selector, Lint Filter, Anti Rat & Anti Rust	Aquamagic Filter, Big Pulsator with antibacterial, Soak magic, Water Selector, Lint Filter, Anti Rat & Anti Rust	Aquamagic Filter, Big Pulsator with antibacterial, Soak magic, Water Selector, Lint Filter, Anti Rat & Anti Rust	Aquamagic Filter, Big Pulsator with antibacterial, Soak magic, Water Selector, Lint Filter, Anti Rat & Anti Rust	Aquamagic Filter, Big Pulsator with antibacterial, Soak magic, Water Selector, Lint Filter, Anti Rat & Anti Rust
Wash Capacity (Kg)	9	9	8	9	8
Spin Dry Capacity (Kg)	5.5	5.5	5.5	5.5	5.5
Power Consumption for Wash (Watt)	255	255	245	255	245
Power Consumption for Spin (Watt)	105	105	105	105	105
Water Consumption (L)	Level 1-75 / Level 2-65 / Level 3-55				
Wash Operation Time (mins)	45				
Body / Tube Type	Plastic	Plastic	Plastic	Plastic	Plastic
Rating Voltage (V-Phase-Hz)	220 V - Single - 50 Hz	220 V - Single - 50 Hz	220 V - Single - 50 Hz	220 V - Single - 50 Hz	220 V - Single - 50 Hz
Dimension (W x H x D) (mm)	855 x 995 x 495	855 x 995 x 495	855 x 995 x 495	855 x 995 x 495	855 x 995 x 495
Weight (Kg)	22.5	22.5	22.5	22.5	22.5

Twin Tub (Hijab Mode Series)

Model Name	ES-T1270SJ-BL/PK	ES-T99SJ-BL/PK	ES-T79SJ-BL/PK
Feature	Dualtone color, Hijab Mode, Single Pulsator, Jilbab pouch, Silvermagic protection on Pulsator	Dualtone color, Hijab Mode, Single Pulsator, Jilbab pouch, Silvermagic protection on Pulsator	Dualtone color, Hijab Mode, Single Pulsator, Jilbab pouch, Silvermagic protection on Pulsator
Wash Capacity (Kg)	11	9	7.5
Spin Dry Capacity (Kg)	7	5.5	5.5
Power Consumption for Wash (Watt)	310	255	330
Power Consumption for Spin (Watt)	110	105	85
Water Consumption (L)	Level 1-75 / Level 2-65 / Level 3-55	Level 1-75 / Level 2-65 / Level 3-55	
Wash Operation Time (mins)	45 min, Soak 30 / wash 15		
Body / Tube Type	Plastic		
Rating Voltage (V-Phase-Hz)	220 V - Single - 50 Hz		
Dimension (W x H x D) (mm)	863.5 x 1052 x 536	855 x 995 x 495	783 x 934 x 437
Weight (Kg)	23.5	22.5	22.5

Information SEID's Branch & Service Center

1. Jakarta
Branch : Ruko Italian Walk Blok. C 51-5
 Mall Of Indonesia, Jl. Raya Boulevard Barat
 No.1 Kelapa Gading, Jakarta 14240.
 Telp : (021) 8061 7100
 Fax : (021) 8061 7123
Service Center : Jl. Swadaya IV,
 Kel. Rawaterate Prolugadung
 Jakarta Timur 13920
 Telp : 0800 1225588 (Bebas Pulsa)
 Fax : (021) 4600725

2. Bogor
Branch & Service Center :
 Jl. Achmad Adnawijaya No. 130
 Kelurahan Tegal Gundil Kec. Bogor Utara.
 Bogor 16152
 Telp : (0251) 8393876/ 8373167

3. Serang
Branch : Jl. Ayip Usman, Kel. Kaligandu.
 Kota Serang - Banten
 Telp : 0254-8491077 / 8491079
 Fax : 0254-8491078

4. Medan
Branch & Service Center :
 Jl. Amali Luhur No. 125
 Kel. Dwikora Kec. Helvetia Medan
 Sumatra Utara 20123
 Telp : (061) 8448506

5. Pekanbaru
Branch & Service Center :
 Jl. Tuanku Tambusai Ujung No. 369,
 Kel. Labuh Baru Barat
 Kec. Payung Sekaki, Pekanbaru - Prov Riau
 Telp : (0761) 851259
 Fax : (0761) 851269

6. Padang
Branch & Service Center :
 Jl. Raya By Pass KM.8.5 Kel. Pasar
 Ambacang Kec. Kuranj. Padang 25152
 Telp : (0751) 778746 / 778747 / 778748
 Fax : (0751) 778749

7. Palembang
Branch & Service Center :
 Jl. Veteran No. 85 / 1779 RT 23 / 07
 Kel. Kuto Batu IIir Timur II
 Telp : (0711) 375449 / 364386
 Fax : (0711) 374323

8. Jambi
Branch : Jl. Lingkar Timur I, RT. 05 No. 02
 Kel. Ekajaya, Kec. Jambi Selatan 36135
 Telp : (0741) 3602999
Service Center : Jl. Kolonel Polisi M.Taher
 No.40 Talang Banjar – Jambi Timur
 Telp : (0741) 3602999
 Fax . 4041-3191012

9. Lampung
Branch & Service Center :
 Jl. Gatot Subroto RT. 001 LK.1
 No. 43A - 43C, Tanjung Gading
 Kec. Kedamaian Kota
 Bandar Lampung
 Telp : (0721) 5606001-3

10. Cirebon
Branch & Service Center :
 Jl. Kesunean No. 5 Kec. Lemah Wungku
 Kota Cirebon 45114
 Telp : (0231) 207132 / 206287
 Fax : (0231) 201788

11. Bandung
Branch & Service Center :
 Jl. Arjuna No. 67-69 Bandung
 Telp : (022) 6032223 / 6041422
 Fax : (022) 6078110

12. Purwokerto
Branch & Service Center :
 Jl. Suparjo Rustam Sokaraja
 Purwokerto - Jawa Tengah
 Telp : (0281) 6844010 / 6844053 /
 6844057
 Fax : (0281) 6844010

13. Semarang
Branch & Service Center :
 Jl. Brigjend Sudarto No. 583 Semarang
 Jawa Tengah 50192
 Telp : (024) 6723772
 Fax : (024) 6716785

14. Yogyakarta
Branch & Service Center :
 Jl. Ringroad Utara Sumber Baru Square
 RT 001 / 07 Sendangadi Mlati Sleman
 Telp : (0274) 8600112 / 8600113 /
 8600114
 Fax : (0274) 8600114

15. Kediri
Branch & Service Center :
 Jl. Mayor Bismo No. 75 Kediri
 Telp : (0354) 683350 / 696889 / 696890
 Fax : (0354) 683150

16. Malang
Service Center :
 Jl. Danau Maninjau Raya 107 Sawojajar
 Kota Malang - Jawa Timur
 Telp : (0341) 353869
 Fax : (0341) 404926

17. Surabaya
Branch : Jl. Raya Prapen No. 305
 Kel. Sidosermo Kec. Wonocolo
 Surabaya 60238
 Telp : (031) 8478010-11
Service Center : Kartini No. 100
 Surabaya
 Telp : 0800 1225588 (Bebas Pulsa)
 Fax : (031) 5673256

18. Jember
Branch & Service Center :
 Jl. Otto Iskandar Dihata 41- 42
 Kel. Ajung, Jember Jawa Timur
 Telp : (0331) 412490-92 / 08553040592
 Fax : (0331) 412494

19. Denpasar
Branch & Service Center :
 Jl. Gatot Subroto Barat No. 168 X
 Denpasar - Bali
 Telp : (0361) 427999 / 428999 / 438999
 Fax : (0361) 438999

20. Pontianak
Branch & Service Center :
 Jl. Kom Yos Sudarso
 (Samping Toko Sinar Logam)
 Pontianak 78113
 Telp : (0561) 7696226

21. Banjarmasin
Branch & Service Center :
 Jl. A.Yani KM 4,7 (Di depan Hotel Global)
 Banjarmasin - Kalimantan Selatan
 Telp : (0511) 3268651 / 3276271
 / 3276272
 Fax : (0511) 3273889

22. Samarinda
Branch : Jl.P.Suryanata Komplek
 Samarinda Sentral Bizpark Blok A
 10 – 12B Samarinda
 Telp : 0800 1225588 (bebas pulsa)/
 Telp : (0541) 2921748 / 741181
 Fax : (0541) 735537
Service Center : Jl. P. Diponegoro No. 56
 Samarinda
 Telp : (0541) 741181

23. Manado
Branch & Service Center :
 Jl. Sam Ratulangi No. 63G Kel. Tanjung
 Batu Kec. Wanea Manado 95117
 Sulawesi Utara
 Telp : (0431) 866385 / 874714 / 844248

24. Palu
Branch & Service Center :
 Jl. Emmy Saelan No. 95 Palu Sulteng
 Telp : (0451) 486808 / 486668
 Fax : (0451) 486809

25. Makassar
Branch & Service Center :
 Jl.G. Bulusaraung Komp. Bulusaraung
 Blok A No. 2 Makassar Sulawesi
 Telp : (0411) 3651303 / 22 / 32 /
 3629635
 Fax : (0411) 3651343

26. Kendari
Branch & Service Center :
 Jl. Malaka Kel. Anduonohu Kec. Poasia
 Kendari Sulawesi Tenggara
 Telp. 0401 -3193104 / 3193108
 Fax . 0401- 3191012
Service Center : Kartini No. 100

27. Dumai
Branch & Service Center :
 Jl. Bhayangkara No.44A Panularan
 Laweyan Surakarta
 Kec. Pesanggrahan, Jakarta Selatan
 Telp : 0800 1225588 (Bebas Pulsa) /
 Telp : (021) 7502290
 Fax : (021) 73885702

28. Batam
Branch & Service Center :
 Jl. HOS Cokroaminoto No. 151B
 Batam
 Telp : (0351) 456274
 Fax : (0351) 456274

29. Belitung
Branch & Service Center :
 Jl.Raya Jend Sudirman Depan BTX Mart/
 Samping SMA Muhammadiyah
 Kelurahan Aik Raya Tj.Pandan - Belitung
 Telp : (0719) 9222248

30. Tanjung Pinang
Branch & Service Center :
 Jl. Baru Dompak Km. 8 Atas,
 Ruko D'Green City Blok A- 8
 Kel. Sungai Jang - Tanjung Pinang
 Telp : (0771) 442393
 Fax : (0771) 442393

31. Bukit Tinggi
Branch & Service Center :
 Jl. Prof. Hamka No. 33 G Simpang Lanbau
 Bukit Tinggi Padang Sumatera Barat
 Telp : (0752) 628474
 Fax : (0752) 628474

32. Bengkulu
Branch & Service Center :
 Jl. S. Parman RT XIII., Depan Diknas
 Provinsi Sebelah Barat BII, Bengkulu
 Telp : (0736) 342824
 Fax : (0736) 342824

33. Pangkal Pinang
Branch & Service Center :
 Jl. Depati Hamzah Kel. Bacang
 (Ruko Graha 277)
 Telp : (0717) 432 029

34. Muara Bungo
Branch & Service Center :
 Jl. Jendral Sudirman RT 02 / 01 No. 76
 Muarabungo
 Telp : (0747) 22133
 Fax : (0747) 22133

35. Lubuk Linggau
Branch & Service Center :
 Jl. Yos Sudarso No. 154 Tabu Jenikeh,
 Lubuk Linggau Sumatera Selatan
 Telp : (0733) 3283819

36. Ketapang
Branch & Service Center :
 Jl. I. Panjaitan No. 45 B Ketapang
 Kalimantan Barat
 Telp : (0534) 3036807 / 3036808
 Fax : (0534) 3036808

37. Tarakan
Branch & Service Center :
 Jl. Grand Rayalo Residence E 1Blok RK No.18
 JL. Pasar Baru Indramayu
 Telp : (0234) 7121172
 Fax : (0234) 325177

38. Sampit
Branch & Service Center :
 Jl. Cendrawasih Blok A16, A17
 Komplek Ruko Cendrawasih, Tarakan
 Telp : (0651) 35644
 Fax : (0551) 33079

39. Balikpapan
Branch & Service Center :
 Jl. Indrafikla, Strat III RT. 30
 Kel. Gunung Samarinda
 (Ruko Deretan Kimia Farma)
 Kallimantan Timur
 Telp : (0542) 7203598
 Fax : (0542) 7203303

40. Pangkalbanun
Branch & Service Center :
 Jl. Paku Negara No. 29 RT. 11
 Pangkalbanun
 Telp : (0532) 6611912

JAWA

1. Bintaro
Branch & Service Center :
 Jl. RC. Veteran 29, RT 011 / 001, Kel. Bintaro
 Kec. Pesanggrahan, Jakarta Selatan
 Telp : 0800 1225588 (Bebas Pulsa) /
 Telp : (021) 733019
 Fax : (021) 652169

15. Madiun
Branch & Service Center :
 Jl. HOS Cokroaminoto No. 151B
 Madiun
 Telp : (0351) 456274
 Fax : (0351) 456274

16. Surabaya 2 (Prapen)
Branch & Service Center :
 Kawasan Pergudangan Safe & Lock
 Jl. Lingkar Timur Blok L
 Rangkah Kidul, Sidoarjo
 Telp : (031) 8478010 / 8478011
 Fax : (031) 8478011

17. Pamekasan

18. Bima

19. Kupang

20. Mataram

21. Singaraja

22. Banda Aceh

23. Kisaran

24. Rantauprapat

25. Padang Sidempuan

26. Rengat

27. Dumai

28. Batam

29. Belitung

30. Tanjung Pinang

31. Bukit Tinggi

32. Bengkulu

33. Pangkal Pinang

34. Muara Bungo

35. Lubuk Linggau

36. Ketapang

37. Tarakan

38. Sampit

39. Balikpapan

40. Pangkalbanun

SHARP Direct Service Station

Find, Follow & Join Us on:

facebook.com/sharpindonesia

twitter.com/sharpindonesia

instagram.com/sharpindonesia

youtube.com/sharpIndonesia

41. Gorontalo

42. Majene

43. Palopo

44. Bau-Bau

45. Ambon

46. Jayapura

47. Kalsel

48. Samarinda

49. Samarinda

50. Samarinda

51. Samarinda

52. Samarinda

53. Samarinda

54. Samarinda

55. Samarinda

56. Samarinda

57. Samarinda

58. Samarinda

59. Samarinda

60. Samarinda

61. Samarinda

62. Samarinda

63. Samarinda

64. Samarinda

65. Samarinda

66. Samarinda

67. Samarinda

68. Samarinda

69. Samarinda

70. Samarinda

71. Samarinda

72. Samarinda

73. Samarinda

74. Samarinda

75. Samarinda

76. Samarinda

77. Samarinda

78. Samarinda